



Ceiling suspended unit

For wide rooms with no false ceilings nor free floor space

- › Ideal for comfortable air flow in wide rooms thanks to Coanda effect: up to 100° discharge angle



- › Even rooms with ceilings up to 3.8m can be heated up or cooled down very easily without capacity loss
- › Can easily be installed in both new and refurbishment projects
- › Can easily be mounted in corners and narrow spaces, as it only needs 30mm lateral service space



- › Fresh air intake integrated in the same system thus reducing installation cost as no additional ventilation device is required


Fresh air intake opening in casing



* Brings in up to 10% of fresh air into the room

- › Reduced energy consumption thanks to specially developed DC fan motor and drain pump
- › Stylish unit blends easily with any interior. The flaps close entirely when the unit is not operating and there are no air intake grilles visible



 Access all technical information on FXHQ-A at my.daikin.eu or click here

Indoor unit		FXHQ		32A		63A		100A	
Cooling capacity	Total capacity	Nom.	kW	3.6		7.1		11.2	
Heating capacity	Total capacity	Nom.	kW	4.0		8.0		12.5	
Power input - 50Hz	Cooling	Nom.	kW	0.107		0.111		0.237	
	Heating	Nom.	kW	0.107		0.111		0.237	
Dimensions	Unit	HeightxWidthxDepth		mm		235x1,270x690		235x1,590x690	
Weight	Unit			kg		24		33	
Casing	Material								
Fan	Air flow rate - 50Hz	Cooling	Low/High	m ³ /min		10.0/14.0		14.0/20.0	
		Heating	Low/High	m ³ /min		10.0/14.0		14.0/20.0	
Air filter	Type								
Sound power level	Cooling	Nom./High		dBA		52/54		53/55	
	Heating	Low/Nom./High		dBA		31.0/34.0/36.0		34.0/35.0/37.0	
Sound pressure level	Cooling	Low/Nom./High		dBA		31.0/34.0/36.0		34.0/35.0/37.0	
	Heating	Low/Nom./High		dBA		31.0/34.0/36.0		34.0/37.0/44.0	
Refrigerant	Type/GWP								
Piping connections	Liquid	OD	mm		6.35		9.52		15.9
	Gas	OD	mm		12.7				
	Drain								
Power supply	Phase/Frequency/Voltage			Hz/V		VP20 (I.D. 20/O.D. 26)			
Current - 50Hz	Maximum fuse amps (MFA)			A		1~/50/220-240			
Control systems	Infrared remote control					16			
	Wired remote control					BRC7G53			
					BRC1H519W/S/K / BRC1E53A/B/C / BRC1D52				